

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Pyrethrins, Piperonyl Butoxide and Permethirn

CAS No. Mixture
EPA Registration Number 45385-101-56

EPA Label Content

See full EPA label for more detailed information.

Trade Name

JT EATON KILLS BED BUGS PLUS AEROSOL

Product Code 217, 217P

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Pesticide
Uses Advised Against None

Company Identification J.T. EATON & CO., INC. 1393 East HIGHLAND Road

TWINSBURG, OH 44087 U.S.A.

Telephone Tel: 330-425-7801 Toll Free: 800-321-3421

Fax 330-425-8353 Website www.jteaton.com

Emergency telephone number

Emergency Phone No. Transportation Emergency: CHEMTREC 24 hr. 1-800-424-

9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

OSHA HCS (29 CFR 1910.1200)

Label elements

Hazard Symbol

Flam. Aerosol 2; Liquefied gas; Asp. Tox. 1; Skin Irrit. 2; STOT SE 3



Signal word(s)

Hazard Statement(s) Flammable aerosol.

Pressurised container: May burst if heated.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

Precautionary Statement(s) Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use. Wash hands and exposed skin after use.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Other hazards Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Revision: May 2, 2016 Page: 1/6



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt.	CAS No.	Hazard classification	
Propane	5 - 10	74-98-6	Flam. Gas 2; H221	
n-Butane	5 - 10	106-97-8	Flam. Gas 2; H221	
Hydrotreated Light Distillate	10 - 15	64742-47-8	Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Flam. Liq. 4; H227 Aquatic Acute 2; H401 Aquatic Chronic 2; H411	
Permethrin	< 1	52645-53-1	Acute Tox. 4; H302, H332 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	
Pyrethrin	< 1	8003-34-7	Acute Tox. 4; H302, H312, H332 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation

Remove person to fresh air and keep comfortable for breathing. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention. Call a POISON CENTER/doctor if you feel unwell.

Skin Contact

Not normally required. If skin irritation occurs: Get medical

advice/attention.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get

medical advice/attention.

Ingestion

Unlikely to be required but if necessary treat symptomatically. Do not give anything by mouth to an unconscious person. Do NOT induce vomiting.

Seek medical treatment.

Most important symptoms and effects, both acute and delayed

IF SWALLOWED: Do not induce vomiting

Indication of any immediate medical attention and

Not normally required.

special treatment needed

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media

-Unsuitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray. Do not use water jet.

Special hazards arising from the substance or mixture

Flammable vapour.

Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with

water if exposed to fire.

Revision: May 2, 2016 Page: 2/6

^{*} The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.



SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

emergency procedures Avoid contact with skin and eyes. Avoid breathing gas/spray.

Environmental precautions Prevent liquid entering sewers, basements and work pits.

Methods and material for containment and cleaning up Cover spills with inert absorbent material. Transfer to a container for

disposal or recovery.

Reference to other sections None
Additional Information None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only. Do not use in confined spaces.

Conditions for safe storage, including any incompatibilities

-Storage temperature Store in a well-ventilated place. Protect from sunlight. Do not expose

to temperatures exceeding 50°C/ 122°F. Keep container tightly

closed.

-Incompatible materials This product should be stored away from sources of strong heat or

oxidizing chemicals.

Specific end use(s) Pesticide

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

		(8hr TWA)		(8hr TWA) (STEL)		EL)	
		PEL	TLV	PEL	TLV		
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:	
C ₉ -C ₁₅ Alkanes & Cycloalkanes	Mixture		1200 mg/m ³				
n-Butane	106-97-8		250 ppm				
Propane	74-98-6	1000 ppm	Aspyx.#			#	
Pyrethrin	8003-34-7	5 mg/m3	5 mg/m3				

^{*}Assure minimum oxygen content of work atmosphere.

Recommended monitoring method NIOSH 1500 (hydrocarbons, B.P. 36 - 126 °C); NIOSH 1550

(Naphthas)

Exposure controls

Appropriate engineering controls Ensure adequate ventilation.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber or Butyl rubber).

Revision: May 2, 2016 Page: 3/6



Respiratory protection



Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment. Check with protective equipment manufacturer's data.

Thermal hazards

Not normally required. Use gloves with insulation for thermal

protection, when needed.

Environmental Exposure Controls None known

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Aerosol spray
Color. Colourless
Odor Fuel oil-like.
Odor Threshold (ppm) Not available

pH (Value)

Melting Point (°C) / Freezing Point (°C)

Boiling point/boiling range (°C):

Not available.

Not available.

Fush Point (°C)

-104 (-155 °F) - Propane

Evanoration Rate

Not available

Evaporation Rate

Flammability (solid, gas)

Extremely flammable

Explosive Limit Ranges

Vapor pressure (Pascal)

Vapor Density (Air=1)

Density (g/ml)

Not available.

Extremely flammable

2.1% - 9.5% v/v (Propane)

ca. 95 x 10⁴ (Propane)

ca. 1.56 @ 0 °C (Propane)

2.1% - 9.5% v/v (Propane)

Density (g/ml)

2.1% - 9.5% v/v (P
Solubility (Water)

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Point (°C)

Not available

Auto Ignition Point (°C)Not availableDecomposition Temperature (°C)Not availableKinematic Viscosity (cSt)<20 at 40°C</td>Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.

Other information Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions None anticipated.

Conditions to avoid Avoid contact with heat and ignition sources.

Incompatible materials This product should be stored away from sources of strong heat or

oxidizing chemicals.

Hazardous decomposition product(s)

Carbon monoxide, Carbon dioxide, Acrid smoke

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects

Hydrotreated Light Distillate (CAS No. 64742-47-8) - By analogy with similar materials:

Acute toxicity (calculated / estimated) Oral: LD50 >5000 mg/kg-bw

Dermal: LD50 >2000 mg/kg-bw

Inhalation: LC0 ≥5.28 mg/l (Vapor), 4-hr. rat - May cause

drowsiness or dizziness.

Revision: May 2, 2016 Page: 4/6



Irritation/Corrosivity Causes skin irritation. Repeated exposure may cause skin dryness

or cracking.

Sensitization It is not a skin sensitizer.

Repeated dose toxicity

Oral: NOEAL 750 mg/kg

Dermal: NOEAL 0.5 ml/kg bw Inhalation: NOAEL ≥1000 mg/m3

Carcinogenicity It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

 Mutagenicity
 Not to be expected

 Reproductive toxicity
 Not to be expected

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Hydrotreated Light Distillate (CAS No. 64742-47-8) - By analogy with similar materials:

Short term LC50 (96 hour): 2.5 mg/L (fish)

EC50 (48 hour): 1.4 mg/L (crustacea) EC50 (72 hour): 1.3 mg/L (algae)

Long Term NOEC (28 days): 0.098 mg/L (fish)

LOEC (21 days): 1.2 mg/L (crustacea) LOEL (72 hour): 1 mg/L (algae)

Active Pesticide:

Short term LC50: <1 mg/lL
Long Term NOEC: <0.1 mg/L

Persistence and degradability Biodegradable

Bioaccumulative potentialThe product has no potential for bioaccumulation.

Mobility in soil Not available.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national

legislation. Consult an accredited waste disposal contractor or the

Sea transport

None assigned

None assigned

local authority for advice.

SECTION 14: TRANSPORT INFORMATION

U.S. DOT Air transport (ICAO/IATA) (IMDG) 1950 1950 **UN** number 1950 **Proper Shipping Name** Aerosols, flammable Aerosols, flammable Aerosols, flammable Transport hazard class(es) 2.1 2.1 2.1 Packing group Not applicable Not applicable Not applicable **Environmental hazards** None assigned None assigned None assigned

None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Special precautions for user

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Revision: May 2, 2016 Page: 5/6



TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Pyrethrin	8003-34-7	0.15	1

SARA 311/312 - Hazard Categories:

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Piperonyl butoxide	51-03-6	0.75
Permethrin	52645-53-1	0.3

SARA 302 - Extremely Hazardous Substances (40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None			

California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
None		

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: January 6, 2015

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H221: Flammable gas.
- H227: Combustible liquid.
- H302: Harmful if swallowed.
- H304: May be fatal if swallowed and enters airways.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H332: Harmful if inhaled.
- H335: May cause respiratory irritation.
- H336: May cause drowsiness or dizziness.
- H400: Very toxic to aquatic life.
- H401: Toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Revision: May 2, 2016 Page: 6/6