

SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.001

MSDS DATE: 01/01/2018

CATCHMASTER™ Brand Adhesive Devices**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION****PRODUCT NAME:** CATCHMASTER™ Brand Products (Insect and Rodent glue traps and monitors)**SYNONYMS:** N/A**PRODUCT CODES:**

| <u>Model No.</u> | <u>Description</u> |
|------------------|--|
| 72MBCO | Chocolate Super Mouse Size Glue Boards |
| 72MBCH | Cherry Super Mouse Size Glue Boards |
| 72MBPB | Peanut Butter Super Mouse Size Glue Boards |
| 72MB | Peanut Butter Regular Mouse Size Glue Boards |
| 72MB4.5 | Peanut Butter Mouse Size Glue Boards |
| 72MAX | Mouse Size Glue Boards |
| 72MAX-DIG1 | Mouse Size Glue Boards for Digital Private Labeling |
| 72TC | Mouse & Insect Glue Board |
| 72TCUS | Mouse & Insect Glue Board |
| 72TC3 | Mouse & Insect Glue Board for Slim |
| 72TCFFUS | Replacement Mouse Board - use with EZ Force Rodent Bait Stations |
| 72TB | <i>Tasty Banana</i> Mouse Size Glue Board |
| 72TBPB | <i>Tasty Banana</i> Mouse Size Glue Boards –Peanut Butter |
| 72XL | Extra Long Mouse & Insect Glue Boards |
| 150MBGL | Mouse & Insect Size Glue Boards |
| 60RBGL | Econo Rat Glue Boards |
| 24GRB | Rat Size Glue Boards |
| 24XL | Jumbo Rat Size Glue Tray Bulk (W/O Hercules Putty™) |
| 48R | Rat Size Glue Tray (With Hercules Putty™) |
| 48RNHP | Rat Size Glue Tray (W/O Hercules Putty™) |
| 48RB | Rat Size Tray (Bulk) |
| 48ROOF | Roof Rat and Large Mouse Trap with Hercules Putty |
| 48WRG | Cold Temperature Glue Tray |
| 1448B | Econo Rate Glue Tray |
| 96M | Mouse Size Glue Trays |
| 100FF | Fruit Fly Trap |
| 100I | Insect Trap & Monitor |
| 100i-DIG | Insect Trap & Monitor for Digital Private Labeling |
| 100MINI | MAX-Catch Mini Mouse & Insect |
| 150RI | Roach & Insect Trap & Monitor |
| 288I | Insect Trap & Monitor |
| 288I-DIG | Insect Trap & Monitor for Digital Private Labeling |
| 812B | Food & Pantry Moth Glue Trap |
| 812PRO | Food & Pantry Moth Glue Trap |
| 814CM | Clothes Moth Trap |
| BDS2.0 | Bedbug Detection System Monitors with plastic |
| BDS-SLDR96 | Slider Bedbug Tray with clear cover |
| BG-1-84 | Bulk Glue -1 Gallon |
| BG-5-84 | Bulk Glue -5 Gallons |
| TB-1 | Professional Tree Banding Adhesive – packed 4/1 gallon cans per case |
| TB-5 | Professional Tree Banding Adhesive – packed 1/5 gallon bucket per case |
| 32AGO | AGO Trap Replacement Glue Boards |

SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.001

MSDS DATE: 01/01/2018

CATCHMASTER™ Brand Adhesive Devices

| <u>Model No.</u> | <u>Description</u> |
|------------------|--|
| 907 | Fly Glue Trap Insert for Vector™ Products – Black Board with White Grid |
| 907-W | Fly Glue Trap Insert for Vector™ Products – White Board with Black Grid |
| 908P | GLOstik™ Flying Insect Trap |
| 909 | Universal Replacement Fly Light Glue Board – Black Board with White Grid |
| 909-W | Universal Replacement Fly Light Glue Board – White Board with Black Grid |
| 912 | Mini Gold Stick |
| 916P | Fly Glue Trap Insert for SilenTrap |
| 918 | GLOstik Pro Pack – Portable ILT Flying Insect Trap |
| 919 | GLOstik Pro Pack Refill Tubes |
| 922 | GLOstik™ Flying Insect Trap Replacement Tubes |
| 922P | Refill Tubes For the GloStik |
| 924 | Fly Glue Trap for 901 Fly Light Unit |
| 925 | Fly Glue Trap for 911 Fly Light Unit |
| 927 | Fly Glue Trap for Pest West Mantis |
| 928 | Fly Glue Trap for 910 Flu Light Unit |
| 929 | Economy ILT Fly Glue Trap |
| 930 | Spider Web™ Fly Glue Trap |
| 948 | Fly Glue Trap w/Multi-Bait Attractant |
| 960PLL | Fly Glue Trap Insert for P&L Open Air 80 |
| 961PLL | Fly Glue Trap Insert for P&L Open Air 30 |
| 962 | Large Gold Stick |
| 9144B4 | Scented Bug & Fly Catcher Bulk Packed |
| 9144M4 | Scented Bug & Fly Catcher Display Box |

MANUFACTURER: AP&G Co., Inc.**DIVISION:** United States**ADDRESS:** 75 East 2nd Street, Bayonne, NJ 07002**EMERGENCY PHONE:** (718) 492-3648**FAX PHONE:** (718) 439-0039**CHEMICAL NAME:** N/A**CHEMICAL FAMILY:** N/A**CHEMICAL FORMULA:** N/A**PRODUCT USE:** Rodent and Insect Monitoring Devices**PREPARED BY:** AP&G Co., Inc.**SECTION 1 NOTES:****SECTION 2: HAZARDS IDENTIFICATION****Product is Non-Hazardous****EMERGENCY OVERVIEW:****ROUTES OF ENTRY:**

| ROUTES OF ENTRY | POTENTIAL HEALTH EFFECTS |
|-----------------|--------------------------|
| EYES | N/A |
| SKIN | N/A |

SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.001

MSDS DATE: 01/01/2018

CATCHMASTER™ Brand Adhesive Devices

| ROUTES OF ENTRY | POTENTIAL HEALTH EFFECTS |
|-----------------|--------------------------|
| INGESTION | N/A |
| INHALATION | N/A |

POTENTIAL HEALTH EFFECTS

| | |
|---|------|
| ACUTE HEALTH HAZARDS | None |
| CHRONIC HEALTH HAZARDS | None |
| MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE | None |

CARCINOGENICITY:

| | |
|--------|------|
| AGENCY | None |
| OSHA | None |
| ACGIH | None |
| NTP | None |
| IARC | None |
| OTHER | None |

SECTION 2 NOTES:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| | ppm | mg/m ³ |
|-------------------|------------------|-------------------|
| OSHA PEL-TWA | None Established | None Established |
| OSHA PEL STEL | None Established | None Established |
| OSHA PEL CEILING | None Established | None Established |
| ACGIH TLV-TWA | None Established | None Established |
| ACGIH TLV STEL | None Established | None Established |
| ACGIH TLV CEILING | None Established | None Established |

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

| | |
|------------|---|
| EYES | Flush with cool water for at least 15 minutes, contact a physician |
| SKIN | Remove glue with mineral spirits or vegetable oil. Wash skin with soap and water. |
| INGESTION | Call a physician or emergency phone number immediately. Do not give anything by mouth or induce vomiting unless instructed by physician |
| INHALATION | N/A |

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

NONE

SECTION 4 NOTES:

SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.001

MSDS DATE: 01/01/2018

CATCHMASTER™ Brand Adhesive Devices

SECTION 5: FIRE-FIGHTING MEASURES

| FLAMMABLE LIMITS IN AIR (% BY VOLUME) | |
|---------------------------------------|-----|
| UPPER | N/A |
| LOWER | N/A |

| FLASH POINT | |
|-------------|-----|
| °F | 421 |
| °C | 216 |

METHOD USED:

| AUTOIGNITION TEMPERATURE | |
|--------------------------|-----|
| °F | N/A |
| °C | N/A |

| NFPA HAZARD CLASSIFICATION | |
|----------------------------|-------------|
| HEALTH | 0 (Minimal) |
| FLAMMABILITY | 0 (Minimal) |
| REACTIVITY | 0 (Minimal) |
| OTHER | 0 (Minimal) |

| HMIS HAZARD CLASSIFICATION | |
|----------------------------|-------------|
| HEALTH | 0 (Minimal) |
| FLAMMABILITY | 0 (Minimal) |
| REACTIVITY | 0 (Minimal) |
| OTHER | 0 (Minimal) |

| COMMENTS | |
|------------------------------------|--------------------------|
| EXTINGUISHING MEDIA | Water, Foam or Inert Gas |
| SPECIAL FIRE FIGHTING PROCEDURES | None |
| UNUSUAL FIRE AND EXPLOSION HAZARDS | None |
| HAZARDOUS DECOMPOSITION PRODUCTS | None |

SECTION 5 NOTES:

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Steps to be taken in the event the material is released or spilled: General clean up. Remove glue by applying mineral spirits to the spilled area, followed by washing the area with warm water and detergent.

SECTION 6 NOTES:

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:

Store at room temperature. The average shelf life is "Stable".

OTHER PRECAUTIONS:

Store in original container in a cool, dust free environment.

SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.001

MSDS DATE: 01/01/2018

CATCHMASTER™ Brand Adhesive Devices

SECTION 7 NOTES:

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

| PARAMETER | COMMENTS |
|--|--------------------------------------|
| VENTILATION | Not Required |
| RESPIRATORY PROTECTION | Not Required |
| EYE PROTECTION | Not Required |
| SKIN PROTECTION | Gloves recommended. Otherwise, none. |
| OTHER PROTECTIVE CLOTHING OR EQUIPMENT | Not Required |
| WORK HYGIENIC PRACTICES | Not required |
| EXPOSURE GUIDELINES | Not Required |

SECTION 8 NOTES:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

| PARAMETER | COMMENTS |
|--|---|
| ODOR | Scent Free or Non-Allergenic Synthetic Scents |
| PHYSICAL STATE | Solid |
| pH AS SUPPLIED | Neutral |
| pH (Other) | N/A |
| BOILING POINT (°F) | N/A |
| BOILING POINT (°C) | N/A |
| MELTING POINT (°F) | 171.39 |
| MELTING POINT (°C) | 77.44 |
| VAPOR PRESSURE (mm Hg) @ °F | N/A |
| VAPOR PRESSURE (mm Hg) @ °C | N/A |
| VAPOR DENSITY (AIR = 1) @ °F | N/A |
| VAPOR DENSITY (AIR = 1) @ °C | N/A |
| SPECIFIC GRAVITY (H2O = 1) @ °F | N/A |
| SPECIFIC GRAVITY (H2O = 1) @ °C | N/A |
| EVAPORATION RATE BASIS (=1) | |
| SOLUBILITY IN WATER | N/A |
| PERCENT SOLIDS BY WEIGHT | 100% |
| PERCENT VOLATILE BY WEIGHT | N/A |
| PERCENT VOLATILE BY VOLUME @ °F | N/A |
| PERCENT VOLATILE BY VOLUME @ °C | N/A |
| VOLATILE ORGANIC COMPOUNDS (VOC) WITH WATER : LBS/GAL | N/A |
| VOLATILE ORGANIC COMPOUNDS (VOC) WITHOUT WATER : LBS/GAL | N/A |
| MOLECULAR WEIGHT | |
| VISCOSITY @ 221 °F | 9629 cP |
| VISCOSITY @ 105 °C | 9629 cP |

SECTION 9 NOTES:

SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.001

MSDS DATE: 01/01/2018

CATCHMASTER™ Brand Adhesive Devices

SECTION 10: STABILITY AND REACTIVITY

| CLASSIFICATION | COMMENTS |
|----------------|----------|
| STABLE | X |
| UNSTABLE | |

STABILITY:

| CLASSIFICATION | COMMENTS |
|--|----------------|
| CONDITIONS TO AVOID (STABILITY) | None |
| INCOMPATIBILITY (MATERIAL TO AVOID) | None |
| HAZARDOUS DECOMPOSITION OR BY-PRODUCTS | None |
| HAZARDOUS POLYMERIZATION | None |
| CONDITIONS TO AVOID (POLYMERIZATION) | Will Not Occur |

SECTION 10 NOTES:

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: None

SECTION 11 NOTES:

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: None

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Wastes resulting from use may be disposed of on-site or at an approved waste disposal facility. Dispose of wastes in accordance with all applicable Federal, State and Local regulations

RCRA HAZARD CLASS:

SECTION 13 NOTES:

SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.001

MSDS DATE: 01/01/2018

CATCHMASTER™ Brand Adhesive Devices

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

| PARAMETER | COMMENTS |
|----------------------|---------------|
| PROPER SHIPPING NAME | Not Required |
| HAZARD CLASS | Non-Hazardous |
| ID NUMBER | Not Required |
| PACKING GROUP | Not Required |
| LABEL STATEMENT | None Required |

WATER TRANSPORTATION

| PARAMETER | COMMENTS |
|----------------------|---------------|
| PROPER SHIPPING NAME | Not Required |
| HAZARD CLASS | Non-Hazardous |
| ID NUMBER | Not Required |
| PACKING GROUP | Not Required |
| LABEL STATEMENTS | None Required |

AIR TRANSPORTATION

| PARAMETER | COMMENTS |
|----------------------|---------------|
| PROPER SHIPPING NAME | Not Required |
| HAZARD CLASS | Non-Hazardous |
| ID NUMBER | Not Required |
| PACKING GROUP | Not Required |
| LABEL STATEMENTS | None Required |

OTHER AGENCIES:

SECTION 14 NOTES:

Freight Classification: LTL Class 60. Every single package of CATCHMASTER™ Product is marked EPA - Establishment number 91557-NJ-1. This is mandated by the United States Of America Environmental Protections Agency regulations. Furthermore, detailed annual Production and Sales Reports must be filed each and every year with the E.P.A., by the AP&G Co., Inc.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

| REGULATION | COMMENTS |
|---|----------|
| TSCA (TOXIC SUBSTANCE CONTROL ACT): | None |
| CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT) | None |
| SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) | None |
| 311/312 HAZARD CATEGORIES | None |
| 313 REPORTABLE INGREDIENTS | None |

STATE REGULATIONS:

SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.001

MSDS DATE: 01/01/2018

CATCHMASTER™ Brand Adhesive Devices

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

SDS 001 CATCHMASTER - PCO Rodent, Insect and Fly. Prepared January 1, 2018

DISCLAIMER: